

Cabinets & Multi-Family Housing Supplies

est. 1947

DUFF^{CO.}

When you need it now... or don't know how

PLUMBING & HEATING • PUMPS • WATER CONDITIONING
MULTIFAMILY HOUSING SUPPLIES

CATALOG

610.275.4453

duffcompany.com



BLINDS

VINYL MINI BLINDS WITH VALANCE

1" VINYL SLATS. NOTE THAT ALL ARE INSIDE MOUNT, ACTUAL WIDTH IS 1/2" NARROWER THAN LISTED.

| 36" Length | | |
|------------|--------|-----------|
| Width | White | Alabaster |
| 23 | 833525 | 833472 |
| 35 | 833535 | 833482 |
| 47 | 833543 | 833493 |
| 59 | 833550 | 833505 |
| 71 | 833559 | 833517 |

| 42" Length | | |
|------------|--------|-----------|
| Width | White | Alabaster |
| 18 | 833374 | 833117 |
| 23 | 833375 | 833118 |

| 48" Length | | |
|------------|--------|-----------|
| Width | White | Alabaster |
| 23 | 833360 | 833367 |
| 30 | 106099 | 106098 |
| 31 | 833361 | 833368 |
| 35 | 833362 | 833369 |
| 43 | 833363 | 833370 |
| 45 | 106102 | 106100 |
| 47 | 833364 | 833371 |
| 48 | 833365 | 833372 |
| 59 | 833366 | 833373 |
| 71 | 833560 | 833518 |

| 60" Length | | |
|------------|--------|-----------|
| Width | White | Alabaster |
| 23 | 833527 | 833473 |
| 27 | 833529 | 833476 |
| 31 | 833532 | 833480 |
| 35 | 833536 | 833483 |
| 36 | 833538 | 833486 |
| 39 | 833121 | 833487 |
| 43 | 833539 | 833489 |
| 45 | 106108 | 106103 |
| 47 | 833545 | 833494 |
| 48 | 833547 | 833497 |
| 59 | 833552 | 833506 |
| 63 | 833555 | 833510 |
| 71 | 833561 | 833519 |

| 64" Length | | |
|------------|--------|-----------|
| Width | White | Alabaster |
| 18 | 833377 | n/a |
| 19 | 833150 | 833160 |
| 23 | 833060 | 833090 |
| 24 | 833151 | 833161 |
| 25 | 833378 | 833394 |
| 26 | 833379 | 833395 |
| 27 | 833062 | 833092 |
| 28 | 833380 | 833396 |
| 29 | 833064 | 833094 |
| 30 | 833065 | 833095 |
| 31 | 833066 | 833096 |
| 32 | 833152 | 833162 |
| 33 | 833068 | 833098 |
| 34 | 833153 | 833163 |
| 35 | 833070 | 833100 |
| 36 | 833071 | 833101 |
| 37 | 833154 | 833164 |
| 38 | 833381 | 833397 |
| 39 | 833074 | 833104 |
| 40 | 833382 | 833398 |
| 41 | 833383 | 833399 |
| 42 | 833155 | 833165 |
| 43 | 833076 | 833106 |
| 44 | 833384 | 833400 |
| 45 | 833385 | 833401 |
| 46 | 833077 | 833107 |
| 47 | 833386 | 833402 |
| 48 | 833078 | 833108 |
| 50 | 833387 | 833403 |
| 52 | 833156 | 833166 |
| 54 | 833388 | 833404 |
| 55 | 833157 | 833167 |
| 57 | 833389 | n/a |
| 58 | 833158 | 833168 |
| 59 | 833390 | 833405 |
| 60 | 833081 | 833111 |
| 68 | 833391 | 833406 |
| 70 | 833082 | 833119 |
| 71 | 833392 | 833407 |
| 72 | 833083 | 833113 |



| 72" Length | | |
|------------|--------|-----------|
| Width | White | Alabaster |
| 23 | 833767 | 833432 |
| 24 | 833409 | 833433 |
| 25 | 833410 | 833434 |
| 26 | 833411 | 833435 |
| 27 | 833412 | 833436 |
| 28 | 833413 | 833437 |
| 29 | 833414 | 833438 |
| 30 | 833415 | 833439 |
| 31 | 833416 | 833440 |
| 32 | 833417 | 833441 |
| 33 | 833418 | 833442 |
| 34 | 833085 | 833115 |
| 35 | 833086 | 833116 |

| 72" Length | | |
|------------|--------|-----------|
| Width | White | Alabaster |
| 36 | 833419 | 833443 |
| 37 | 833420 | 833444 |
| 38 | 833421 | 833445 |
| 39 | 833422 | 833446 |
| 40 | 833423 | 833447 |
| 42 | 833425 | 833449 |
| 43 | 833426 | 833450 |
| 47 | 833427 | 833451 |
| 48 | 833428 | 833452 |
| 59 | 833429 | 833453 |
| 70 | 833430 | 833454 |
| 71 | 833431 | 833455 |
| 72 | 833562 | 833522 |

BLINDS

PREMIUM MINI BLINDS WITH VALANCE

1" VINYL SLATS. NOTE THAT ALL ARE INSIDE MOUNT, ACTUAL WIDTH IS 1/2" NARROWER THAN LISTED.



| 48" Length | | |
|------------|--------|-----------|
| Width | White | Alabaster |
| 23 | 561156 | 283828 |
| 30 | 106130 | 106120 |
| 35 | 833656 | 283836 |
| 45 | 106134 | 106133 |
| 47 | 833665 | 283842 |
| 59 | 561158 | 283848 |
| 71 | 833677 | 283855 |

| 72" Length | | |
|------------|--------|-----------|
| Width | White | Alabaster |
| 23 | 833573 | 283818 |
| 24 | 106117 | n/a |
| 29 | 833574 | 283819 |
| 31 | 833575 | 283820 |
| 34 | 833576 | 283821 |
| 35 | 833577 | 283822 |
| 36 | 833578 | 283823 |
| 39 | 833579 | 283824 |
| 43 | 833580 | 283825 |
| 47 | 833667 | 283844 |
| 48 | 833581 | 283826 |
| 59 | 833671 | 283850 |
| 71 | 833679 | 283857 |
| 72 | 833582 | 283827 |

| 64" Length | | |
|------------|---------|-----------|
| Width | White | Alabaster |
| 23 | 833330 | 283804 |
| 27 | 833301 | 283805 |
| 29 | 833302 | 283806 |
| 30 | 833303 | 283807 |
| 31 | 833304 | 283808 |
| 32 | 833563 | 283813 |
| 34 | 833305 | 283809 |
| 35 | 833306 | 283810 |
| 36 | 833307 | 283811 |
| 39 | 833309 | 283812 |
| 47 | 833564 | 283814 |
| 59 | 833565 | 283815 |
| 70 | 833566 | 283816 |
| 71 | 833678 | 833642 |
| 72 | 97-9672 | 283817 |

ALUMINUM MINI BLINDS WITH VALANCE

1" VINYL SLATS. NOTE THAT ALL ARE INSIDE MOUNT, ACTUAL WIDTH IS 1/2" NARROWER THAN LISTED.



| 48" Length | | |
|------------|--------|-----------|
| Width | White | Alabaster |
| 23 | 833687 | 833686 |
| 30 | 106146 | 106145 |
| 35 | 833711 | 833715 |
| 45 | 106150 | 106149 |
| 47 | 833729 | 833728 |
| 59 | 833741 | 833740 |
| 71 | 561173 | 833756 |

| 72" Length | | |
|------------|--------|-----------|
| Width | White | Alabaster |
| 23 | 833691 | 833690 |
| 24 | 106144 | 106143 |
| 35 | 833715 | 833714 |
| 36 | 833720 | 833719 |
| 47 | 833733 | 833732 |
| 59 | 833745 | 833744 |
| 66 | 106158 | 106157 |
| 71 | 833761 | 833760 |
| 72 | 561179 | 561188 |

| 60" Length | | |
|------------|--------|-----------|
| Width | White | Alabaster |
| 23 | 833689 | 833688 |
| 34 | 833706 | 833705 |
| 35 | 833713 | 833712 |
| 36 | 833718 | 833717 |
| 43 | 833723 | 833722 |
| 45 | 106152 | 106151 |
| 47 | 833731 | 833730 |
| 59 | 833743 | 833742 |
| 70 | 833751 | 833750 |
| 71 | 833758 | 833757 |
| 72 | 833763 | 833762 |

BLINDS — VERTICAL, FAUX WOOD

VERTICAL BLIND COMPONENTS

ONE WAY DRAW, WAND CONTROL STYLE HEAD RAILS.




Steel Head rail only
1-1/2" profile

| Width | SKU |
|-------|--------|
| 35" | 289288 |
| 43" | 289289 |
| 47" | 289290 |
| 54" | 289291 |
| 59" | 289292 |
| 66" | 289293 |
| 71" | 289294 |
| 78" | 289295 |
| 84" | 289296 |
| 95" | 289297 |
| 102" | 289298 |
| 110" | 289299 |
| 120" | 289300 |

Vertical Blinds
with valance steel
head rail kits

| Size | White | Alabaster |
|--------|--------|-----------|
| 66x84 | 560306 | 560309 |
| 78x84 | 560307 | 560320 |
| 102x84 | 106097 | 560321 |
| 104x84 | 560308 | n/a |
| 110x84 | 560315 | 560314 |



**We carry mini blinds,
aluminum blinds, faux
wood blinds, verticals, but
no duck blinds.**




2" FAUX WOOD BLINDS

2" FAUX WOOD SLATS. NOTE THAT ALL ARE INSIDE MOUNT,
ACTUAL WIDTH IS 1/2" NARROWER THAN LISTED.

| 48" Length | |
|------------|---------|
| Width | White |
| 23" | 97-5223 |
| 35" | 97-5235 |
| 47" | 97-5247 |
| 59" | 97-5259 |
| 71" | 97-5271 |

| 60" Length | |
|------------|---------|
| Width | White |
| 23" | 97-5423 |
| 27" | 97-5427 |
| 29" | 97-5429 |
| 30" | 97-5430 |
| 31" | 97-5431 |
| 32" | 97-5432 |
| 34" | 97-5434 |
| 35" | 97-5435 |
| 36" | 97-5436 |
| 39" | 97-5439 |
| 43" | 97-5443 |
| 47" | 97-5447 |
| 52" | 97-5452 |
| 59" | 97-5459 |
| 63" | 97-5463 |
| 70" | 97-5470 |
| 71" | 97-5471 |
| 72" | 97-5472 |

| 72" Length | |
|------------|---------|
| Width | White |
| 23" | 97-5623 |
| 27" | 97-5627 |
| 31" | 97-5631 |
| 35" | 97-5635 |
| 36" | 97-5636 |
| 39" | 97-5639 |
| 43" | 97-5643 |
| 47" | 97-5647 |
| 59" | 97-5659 |
| 63" | 97-5663 |
| 70" | 97-5670 |
| 71" | 97-5671 |
| 72" | 97-5672 |




Of course,
we are happy
to accept
Visa and MasterCard




BLINDS — HARDWARE



| SKU | DESCRIPTION | KEY |
|--------|--|-----|
| 296706 | 2" FW installation brackets | A |
| 296709 | 2" FW tilt mechanism | B |
| 296711 | 2" FW valance in 72" width | C |
| 296710 | valance clip for 2" FW | D |
| 282835 | Dust valance clip (aluminum vertical head rail only) | - |
| 289286 | Mounting hardware (steel vertical head rail only) | E |
| 291554 | Mounting hardware (aluminum vertical head rail only) | F |
| 289567 | Hold down bracket for 1" mini blinds | G |
| 289568 | Hold down bracket for 2" FW | H |
| 299084 | Vertical valance clip (steel head rail only) | I |



Inside blinds are mounted inside the window casing for a more finished look, especially for windows with attractive molding.



Outside blinds are mounted on the wall or molding outside the window casing and cover an area larger than the window. Outside mounting requires at least 2" of flat space above the window casing for proper installation of the brackets and approximately 2" overlap on either side (total 4") of the window to ensure privacy and light control.



SUPPLIES

| Fig. No. | Type | Quantity |
|----------|----------------------------|----------|
| 306645 | 9-Volt Energizer Lithium | 2 |
| 245801 | 9-Volt Eveready Heavy-Duty | 12 |
| 334079 | 9-Volt Rayovac Industrial | 12 |
| 277296 | AA Eveready Heavy-Duty | 4 |
| 334073 | AA Rayovac Industrial | 24 |
| 245803 | AAA Eveready Heavy-Duty | 4 |
| 334079 | AAA Rayovac Industrial | 18 |
| 266624 | C Eveready Heavy-Duty | 12 |
| 334075 | C Rayovac Industrial | 12 |
| 98971 | D Eveready Heavy-Duty | 12 |
| 334077 | D Rayovac Industrial | 12 |



BATTERIES



RECEPTACLES

2-pole commercial grade single receptacle, straight blade, 20 amps



| Fig. No. | Type |
|----------|-------|
| -- | White |
| 258501 | Ivory |

2-pole residential duplex receptacle with ears, 15 amps



| Fig. No. | Type |
|----------|-------|
| -- | Ivory |
| 244680 | White |

GFCI receptacle, 15 amps



| Fig. No. | Type |
|----------|-------|
| 274033 | Ivory |
| 244681 | White |

Tamper-resistant and weather-resistant GFCI receptacle, 15 amps



| Fig. No. | Type |
|----------|-------|
| 252338 | Ivory |
| -- | White |

Painter's Caulk (white)



| | |
|----------|--------|
| Fig. No. | 254943 |
|----------|--------|

Blue Painter's Tape



| Fig. No. | Size |
|----------|--------|
| 338341 | 1-1/2" |
| 330530 | 2" |

Econ Paint Brushes



| Fig. No. | Size |
|----------|------|
| 316294 | 2" |
| 327467 | 3" |
| 316296 | 4" |

PAINT ACCESSORIES

Shubee waterproof shoe covers, dark blue, 40 pairs per box



| | |
|----------|--------|
| Fig. No. | 305064 |
|----------|--------|

DUFFGUIDE:

More Caulk Selection on page 724



Easy roll out plastic dropcloth, 9' x 12', 8mm thick

| | |
|----------|--------|
| Fig. No. | 337353 |
|----------|--------|

Canvas Dropcloth

| Fig. No. | Size |
|----------|----------|
| 328661 | 4' x 15' |
| 328808 | 6' x 9' |
| 328662 | 9' x 12' |



SMOKE DETECTORS

FIRE PROTECTION



Kidde direct wire ionization smoke detector, AC/DC

Fig. No. 245084



AC/DC photo smoke alarm 120-volt, 2-pack

Fig. No. 322111



First Alert direct wire ionization smoke and carbon monoxide detector, 120-vot with 9-volt DC battery backup

Fig. No. 243662



Kidde ionization smoke detector powered by 9-volt DC battery

Fig. No. 245804



First Alert combination smoke and carbon monoxide alarm powered by 9-volt DC battery

Fig. No. 248333



Kidde battery-powered ionization smoke and carbon monoxide detector powered by 2 AA batteries

Fig. No. 314031



Universal Smoke and Fire Alarm, 10 Year Sealed Battery, Ionization

Fig. No. 334464



First Alert Lithium Power Cell Smoke Alarm, Tamper-Proof, 10-Year Sealed Battery

Fig. No. 314031

FIRE EXTINGUISHERS



All purpose home fire extinguisher, disposable, 1A:10BV rating, 2.5 lbs.

Fig. No. 254851



Pro 5 MP fire extinguisher spray, 5.5 lbs, 4-pack

Fig. No. 246369



Kitchen fire extinguisher, 711A Rating, 2.5 lbs

Fig. No. 315415

WALLPLATES



WALL PLATE MATERIALS

- Nylon plates are thermoplastic nylon
- Metal plates are painted steel

Both come standard with 10-year limited warranty.

Ask about stainless steel options!

WALL PLATE SIZES



- Standard single-gang plates are typically 4.5" x 2.75".
- Midway (or "midi" or "midsize") plates can be used to hide wall surface irregularities and are a full 0.375" taller and wider than standard wallplates, typically 3.13" x 4.88" when single-gang.
- Jumbo (or "XL" or "oversized") plates are 5.25" tall and 5.5" x 3.5" wide as single-gang. They hide imperfections, provide extra protection and provide a bolder look.

We also offer specialized sizes for switch plates, which can vary in dimensions, shape and material. For instance, we sell plates for single dryer receptacles; cable/phone; emergency switches; and gas burner switches.

| DUPLIX 1-GANG | |
|---------------|--------------------------|
| Fig. No. | Type (Size / Material) |
| -- | White / Standard / Nylon |
| -- | White / Standard / Metal |
| 317350 | White / Midway / Nylon |
| -- | White / Midway / Metal |
| -- | White / XL / Nylon |
| 243854 | White / XL / Metal |
| 253648 | Ivory / Standard / Nylon |
| -- | Ivory / Standard / Metal |
| 322251 | Ivory / Midway / Nylon |
| -- | Ivory / Midway / Metal |
| 323757 | Ivory / XL / Nylon |
| 274032 | Ivory / XL / Metal |




| DUPLIX 2-GANG | |
|---------------|--------------------------|
| Fig. No | Type (Size / Material) |
| -- | White / Standard / Nylon |
| -- | White / Standard / Metal |
| -- | White / Midway / Nylon |
| -- | White / Midway / Metal |
| -- | White / XL / Nylon |
| -- | White / XL / Metal |
| -- | Ivory / Standard / Nylon |
| -- | Ivory / Standard / Metal |
| -- | Ivory / Midway / Nylon |
| -- | Ivory / Midway / Metal |
| -- | Ivory / XL / Nylon |
| -- | Ivory / XL / Metal |




WALLPLATES



| FIG NO. | Type (Size / Material) |
|----------------------|--------------------------|
| Toggle 1-Gang | |
| -- | White / Standard / Nylon |
| -- | White / Standard / Metal |
| 333586 | White / Midway / Nylon |
| -- | White / Midway / Metal |
| -- | White / XL / Nylon |
| 243857 | White / XL / Metal |
| 253645 | Ivory / Standard / Nylon |
| -- | Ivory / Standard / Metal |
| -- | Ivory / Midway / Nylon |
| -- | Ivory / Midway / Metal |
| 315904 | Ivory / XL / Nylon |
| 273530 | Ivory / XL / Metal |



| FIG NO. | Type (Size / Material) |
|----------------------|--------------------------|
| Toggle 2-Gang | |
| -- | White / Standard / Nylon |
| -- | White / Standard / Metal |
| -- | White / Midway / Nylon |
| -- | White / Midway / Metal |
| 258507 | White / XL / Nylon |
| 313237 | White / XL / Metal |
| -- | Ivory / Standard / Nylon |
| -- | Ivory / Standard / Metal |
| -- | Ivory / Midway / Nylon |
| -- | Ivory / Midway / Metal |
| 323773 | Ivory / XL / Nylon |
| 273421 | Ivory / XL / Metal |




| FIG NO. | Type (Size / Material) |
|----------------------|--------------------------|
| Toggle 3-Gang | |
| -- | White / Standard / Nylon |
| -- | White / Standard / Metal |
| -- | White / Midway / Nylon |
| -- | White / Midway / Metal |
| -- | White / XL / Nylon |
| -- | White / XL / Metal |
| -- | Ivory / Standard / Nylon |
| -- | Ivory / Standard / Metal |
| -- | Ivory / Midway / Nylon |
| -- | Ivory / Midway / Metal |
| 254825 | Ivory / XL / Nylon |
| 315835 | Ivory / XL / Metal |



| FIG NO. | Type (Size / Material) |
|--------------------|--------------------------|
| GFCI 1-Gang | |
| 305163 | White / Standard / Nylon |
| -- | White / Standard / Metal |
| -- | White / Midway / Nylon |
| -- | White / Midway / Metal |
| 326479 | White / XL / Nylon |
| 246852 | White / XL / Metal |
| 268859 | Ivory / Standard / Nylon |
| -- | Ivory / Standard / Metal |
| -- | Ivory / Midway / Nylon |
| -- | Ivory / Midway / Metal |
| -- | Ivory / XL / Nylon |
| 304070 | Ivory / XL / Metal |



| FIG NO. | Type (Size / Material) |
|--------------------|--------------------------|
| GFCI 2-Gang | |
| -- | White / Standard / Nylon |
| -- | White / Standard / Metal |
| -- | White / Midway / Nylon |
| -- | White / Midway / Metal |
| 255071 | White / XL / Nylon |
| -- | White / XL / Metal |
| -- | Ivory / Standard / Nylon |
| -- | Ivory / Standard / Metal |
| -- | Ivory / Midway / Nylon |
| -- | Ivory / Midway / Metal |
| -- | Ivory / XL / Nylon |
| -- | Ivory / XL / Metal |



| FIG NO. | Type (Size / Material) |
|--------------------|--------------------------|
| GFCI 3-Gang | |
| -- | White / Standard / Nylon |
| -- | White / Standard / Metal |
| -- | White / Midway / Nylon |
| -- | White / Midway / Metal |
| -- | White / XL / Nylon |
| -- | White / XL / Metal |
| -- | Ivory / Standard / Nylon |
| -- | Ivory / Standard / Metal |
| -- | Ivory / Midway / Nylon |
| -- | Ivory / Midway / Metal |
| 268858 | Ivory / XL / Nylon |
| -- | Ivory / XL / Metal |

WALLPLATES

| FIG NO. | Type (Size / Material) |
|-----------------------------|--------------------------|
| Toggle/Duplex 2-Gang | |
| -- | White / Standard / Nylon |
| -- | White / Standard / Metal |
| -- | White / Midway / Nylon |
| -- | White / Midway / Metal |
| -- | White / XL / Nylon |
| 259471 | White / XL / Metal |
| -- | Ivory / Standard / Nylon |
| -- | Ivory / Standard / Metal |
| -- | Ivory / XL / Nylon |
| -- | Ivory / XL / Metal |




| FIG NO. | Type (Size / Material) |
|---------------------------------|--------------------------|
| Blank 1-Gang Wall Plates | |
| -- | White / Standard / Nylon |
| -- | White / Standard / Metal |
| -- | White / Midway / Nylon |
| -- | White / Midway / Metal |
| -- | White / XL / Nylon |
| 256351 | White / XL / Metal |
| 268860 | Ivory / Standard / Nylon |
| -- | Ivory / Standard / Metal |
| -- | Ivory / XL / Nylon |
| 273531 | Ivory / XL / Metal |



COMBINATION WALL PLATES

Ask about other combination plates, like GFCI/Switch, switch/duplex, multiple-gang switch/outlet, and many other options.



We sell solutions

WALLPLATES



| FIG NO. | Type (Size / Material) |
|-------------------|--------------------------|
| A/C 1-Gang | |
| 258500 | White / Standard / Nylon |
| -- | White / Standard / Metal |
| -- | White / Midway / Nylon |
| -- | White / Midway / Metal |
| -- | White / XL / Nylon |
| -- | White / XL / Metal |
| -- | Ivory / Standard / Nylon |
| -- | Ivory / Standard / Metal |
| -- | Ivory / Midway / Nylon |
| -- | Ivory / Midway / Metal |
| -- | Ivory / XL / Nylon |
| 304073 | Ivory / XL / Metal |



| FIG NO. | Type (Size / Material) |
|-------------------------|--|
| SPECIALTY PLATES | |
| 268861 | Coaxial Wall Plate (Ivory; White also available) Allows 75 Ohm "F" Connector (from TV) to be neatly connected to wall; Plate mounts directly to recessed wall box or directly to wall using mounting brackets and screws (included). |



| FIG NO. | Type (Size / Material) |
|-------------------------|--|
| SPECIALTY PLATES | |
| 323765 | Modular Wall Phone Jack (Ivory; White also available) Use to convert either an old 4-hole flush jack or flush wall terminal to a flush modular jack. |

DUFF
TIP:

WE ALSO OFFER:

- Time & photoelectric controls
- Weatherproof covers
- Raceways
- Electrical work boxes
- Hand tools & other electricians' tools!



| FIG NO. | Type (Size / Material) |
|------------------------------------|---|
| Wall Plate Screws (Box/100) | |
| 321839 | Short / White (for Decora, 6/32 x 5/16" L) |
| -- | Short / Ivory (for Decora, 6/32 x 5/16" L) |
| 305134 | Regular Length / White (for standard plates, 6/32 x 1/2") |
| -- | Regular Length / Ivory (for standard plates, 6/32 x 1/2") |



| FIG NO. | Type (Size / Material) |
|----------------------------------|---|
| Wall Plate Screw Kit 6/32 | |
| -- | 370 flat head slotted screws per kit. Includes: (45) 3/4", (35) 1", (3) 1-1/4", 20 (1-1/2"), 15 (2"), and (15) 3" screws. |



LIGHT SWITCHES



1-pole quiet
toggle switch,
120 volts, 15 amps

| Fig. No. | Type |
|----------|-------|
| 254831 | Ivory |
| 251953 | White |

| Fig. No. | Type |
|----------|-------|
| 254831 | Ivory |
| 251953 | White |

| Fig. No. | Type |
|----------|-------|
| 254831 | Ivory |
| 251953 | White |

| Fig. No. | Type |
|----------|-------|
| 254831 | Ivory |
| 251953 | White |

| Fig. No. | Type |
|----------|-------|
| 254831 | Ivory |
| 251953 | White |

CEILING FANS



Bala 42" brushed nickel, dual-mount ceiling fan with 3 tulip light kit

Fig. No. 245753



Bala 42" white, hugger-mount ceiling fan with shoolhouse light kit

Fig. No. 323774



Bala 52" brushed nickel, dual-mount ceiling fan with 3 tulip light kit


Fig. No. 307962



Bala 42" brushed nickel, hugger-mount ceiling fan with bowl light kit

Fig. No. 313628

EXHAUST FANS



Broan exhaust fan with light,
50 CFM

Fig. No. 305139



Broan bathroom exhaust fan,
50 CFM

Fig. No. 323768



Nutone bathroom exhaust fan

Fig. No. 258518

VANITY LIGHTS



Monument 3-light vanity fixture, brushed
nickel, 24" x 7-5/8", uses (3) 100-watt incandescent
medium base lamps

Fig. No. 331525



Portfolio 3-light brushed nickel
bathroom vanity light,
22" x 8.15"

Fig. No. 323162



Monument contemporary vanity fixture,
brushed nickel, 20.5", uses (3) 100-watt incandescent
medium base lamps

Fig. No. 311373



Royal Cove vanity lighting strip, polished
chrome, 24", uses (4) 60-watt incandescent
G25 medium base lamps

Fig. No. 316680

**DUFF
DELIVERS**



CABINETS



American craftsmanship is alive and well.

Handcrafted in America's heartland, solid wood components, including doors and face frames, are locally fabricated from domestic hardwoods, creating dozens of additional jobs in nearby communities. A state-of-the-art finishing system produces a consistently beautiful and long-lasting appearance.

The result is affordable, high quality cabinets with the features typically found in much more expensive cabinetry, including maple doors and drawer fronts, dovetail drawer constructions, and an industry-leading Five-Year Limited Warranty.

Classic Cabinets includes four styles: Hudson, a timeless mitered pillow design; Dartmouth, a contemporary Shaker design; Saginaw, a transitional style; and York, a clean style in a classic painted white, Saginaw and Dartmouth being the most popular.

DARTMOUTH Clean, contemporary lines

The clean, simple lines of Shaker design can be highly flexible. They can blend beautifully with a traditional style, or make a bold statement that compliments a contemporary design. Choose from warm crimson, honey or dark sable stains, or a painted white finish. In a nod to those Shaker craftsmen of long ago, Dartmouth cabinets are built from solid American maple, right here in the U.S.A

Features

- Maple doors with a plywood center panel
- Solid slab drawer heads
- Full 1/2" plywood sides, backs, tops and bottoms
- 3/4" bullnosed adjustable plywood shelves
- Dovetail drawer construction
- Full-extension undermount drawer glides
- Hidden, six-way adjustable hinges with soft-close mechanism
- Hidden plywood hanging rails top and bottom

Crimson



Honey



Dark Sable



Grey Stain



Painted White



**Cabinets got you cornered?
Call the DUFF Cabinet Team.
We can help with design services.**

CABINETS



Crimson Chestnut Honey Dark Sable



SAGINAW


Classic styling, with a nod to what's new

The raised panel cabinets say "traditional" but with a slightly bolder, cleaner line, which makes our Saginaw cabinets ideal for a wide range of kitchen designs.

Choose from four rich finishes: crimson, chestnut, honey or dark sable. Whatever you decide, you'll enjoy genuine American craftsmanship, including the solid American maple cabinet doors and drawer fronts that are standard in all our cabinets.

Features

- Maple door with a raised veneer center panel
- Solid maple slab drawer heads
- Full 1/2" plywood sides, backs, tops and bottoms
- 3/4" solid wood corner blocks
- 3/4" bullnosed adjustable plywood shelves
- Dovetail drawer construction with sidemount glides
- Hidden plywood hanging rails top and bottom



DUFF
TIP

Ask for our complete catalog of cabinet offerings, which includes full-color pictures; product specifications; different door styles; accessories; fillers & panels; mouldings, touch-up and hardware; ADA cabinets; and much, much more.

DUFF
DELIVERS



How to Order

Submit your order online
or
email info@duffco.com

Be sure to include
product numbers
descriptions
quantities

Don't forget to include your name!

Contact name _____ Contact Date _____

| | | |
|---|--|---|
|  | <h2 style="margin: 0;">DUFF COMPANY</h2> <p style="margin: 0;">201 East Lafayette Street Norrstown, PA 19401</p> <p style="margin: 0;">Phone: 610-275-4453 Fax: 610-279-6761</p> |  |
|---|--|---|

Legal Name _____

Name in which business is conducted _____

Billing Address _____

City _____ State _____ Zip _____

Purchasing Phone _____ A/P Phone _____ Fax _____



Principal's Name _____

Principal's Address _____

City _____ State _____ Zip _____

Phone (Office) _____ (Cell) _____ E-mail address _____

Website address (If applicable) _____

Primary Contact _____ Title _____



SHIPPING ADDRESS - IF DIFFERENT

Shipping Address _____ Phone _____

City _____ State _____ Zip _____

Tax Exempt Number _____ Provide a copy of Certificate. We CAN NOT set up a Tax Exempt Account without certification.



TYPE OF BUSINESS

Plumbing ____ Pumps ____ Heating ____ Municipality ____ Hotel or Apts. ____ Well Drilling ____
Hospital ____ Factory (OEM) ____ Factory (Mtn) ____ Office Building ____ Shopping Center ____
Golf Course ____ Water Treatment ____ Environmental ____ Other (Please name) _____

Have you been contacted by one of our salesman? _____ Name _____

If YES, please explain _____

Name of person authorized to pick up _____

D&B Rating _____ Check one: Corporation _____ Partnership _____ Individual Proprietor _____

If division of another company, name parent company and relationship _____

DUFF COMPANY

201 East Lafayette Street, Norristown, PA 19401

TRADE REFERENCES

Name _____ Type of business _____

Address _____

City _____ State _____ Zip _____

Phone _____ Fax _____



Name _____ Type of business _____

Address _____

City _____ State _____ Zip _____

Phone _____ Fax _____



Name _____ Type of business _____

Address _____

City _____ State _____ Zip _____

Phone _____ Fax _____



Bank reference _____

Branch Address _____

City _____ State _____ Zip _____

Branch officer who handles account _____

In consideration of your opening the above account and/or extended credit, the undersigned hereby agrees that all information supplied in this application is correct, that all accounts are to be paid in full to Duff Company monthly by the tenth day of the month following the invoice date, that a 1% service charge and a 1% interest charge will be made on any balance open at the end of the month following invoice date, and that in the event that legal action or lien be taken, or the service of a collection agency are used to collect this account, the undersigned shall pay all expenses incurred by the Duff company, such as, but not limited to, collection fees, costs and legal fees.

Applicant (Name of Account) _____

By _____ Title _____

The undersigned _____ and _____
for good and valuable consideration, hereby jointly, severally and personally unconditionally guarantee, warrant and promise the full and prompt (within terms) payments of all bills and other obligations (as set forth above) of the applicate in connection with any credit extended to the applicant by Duff Company.*

Principal _____ Witness _____ Principal's Spouse _____ Witness _____

Principal _____ Witness _____ Principal's Spouse _____ Witness _____

We routinely fax invoices to our customers. Please provide a fax number where we can send invoices _____

PLEASE FAX FORM TO 610-275-6761

*As appropriate, we may also require the guarantee of a principal and, in some cases, the principal's spouse.

| For Duff Company Use Only | | | |
|---------------------------|------------------------|-------------------------|--|
| Credit Limit: _____ | Contact: _____ | Certificate Recd: _____ | |
| Tax Jurisdiction: _____ | General Manager: _____ | Type: _____ | |
| Salesman: _____ | Class: _____ | Controller: _____ | |
| | Date Approved: _____ | | |