

# Hangers & Fasteners

est. 1947

# DUFF<sup>CO.</sup>

**When you need it now... or don't know how**

PLUMBING & HEATING • PUMPS • WATER CONDITIONING  
MULTIFAMILY HOUSING SUPPLIES



CATALOG

610.275.4453

[duffcompany.com](http://duffcompany.com)

**Whether it is:**

**Hung**

**Sprung**

**Clamped**








**Supported**

**Guided**

**Rolled**


**Bolted**

**or  
Hooked**



**We've got the  
material in stock  
and we can  
get it out  
to you  
TODAY!**

## REZNROR HOOKS



**OTHER SIZES AVAILABLE!**


SIZE	PIPE SIZE		TUBING SIZE			
	STEEL		COPPER CLAD		PLASTIC COATED	
	FIG. NO.	PRICE	FIG. NO.	PRICE	FIG. NO.	PRICE
1/2 x 8	7139		25136		7145	
3/4 x 8	40637		25137		7146	
1 x 8	23015		14399			
1 1/4 x 8	7142		14402			
1 1/2 x 8	7143		14405			
2 x 8	7144		14407			

\*Eliminates Electrolysis  
\*Reduces "Shimmy"

## HANGER STRAPPING

\*STEEL \*COPPER

\*PLASTIC



SIZE	MATERIAL	FIG. NO.	PRICE
3/4 X 10'	Cold Rolled Steel	14201	
3/4 X 100'	Cold Rolled Steel	14202	
3/4 X 100'	Galvanized	43185	
3/4 X 10'	Copper Clad	14410	
3/4 X 100'	Copper Clad	14414	
3/4 X 100'	Plastic	15991	
3/4 X 25'	Solid Copper	14419	

ALSO AVAILABLE IN PURE COPPER,  
ALUMINUM & STAINLESS STEEL

**ALL HANGERS AND FASTENERS  
AVAILABLE IN STAINLESS STEEL**


## PIPE AND TUBING STRAPS



SIZE	TWO EAR STRAP				ONE EAR STRAP	
	PIPE SIZE GALVANIZED		TUBING SIZE COPPER CLAD		PIPE SIZE GALVANIZED	
	FIG. NO.	PRICE	FIG. NO.	PRICE	FIG. NO.	PRICE
1/8	-		36554		-	
1/4	17607		14420		14186	
3/8	14168		14422		14191	
1/2	14170		14423		14192	
3/4	14171		14425		14194	
1	14173		14426		14196	
1 1/4	14174		14428		14197	
1 1/2	14176		14429		14198	
2	14178		14430		14200	
2 1/2	14179					
3	14181					
4	14183					


ALL SIZES AVAILABLE IN PURE COPPER

## INSULATION SHIELDS



18 GAUGE X 12.

Used when the clevis hanger is used on the outside of insulation. Prevent crushing of insulation or breaking the vapor barrier by the hanger or support. Various thicknesses available, please call for dimensional data and current pricing!  
STANDARD



### ALSO AVAILABLE IN COPPER CLAD!

Fig. No.	Size (inches)	Clevis Hanger Size	Approx Wt per 100	Price
64543	2.375	2	65	
64544	2.875	2 1/2	77	
64545	3.500	3	94	
64546	4.000	3 1/2	107	
64547	4.500	4	121	
64548	5.625	5	158	
64549	6.625	6	179	
64550	7.625	7	202	
64551	8.625	8	228	
64553	10.750	10	284	

**DUFF TIP** • Choose by size of hanger you're using, not by pipe size!

## RISER CLAMPS

MOST  
HANGERS AVAILABLE IN  
GALVANIZED  
FINISH OR STAINLESS  
STEEL



SIZE	PIPE SIZE		TUBING SIZE	
	BLACK		COPPER CLAD	
	FIG. NO.	PRICE	FIG. NO.	PRICE
1/2	14230		14479	
3/4	14232		14480	
1	14234		14481	
1 1/4	14236		14482	
1 1/2	14238		14483	
2	14240		14484	
2 1/2	14242		14485	
3	14243		14487	
3 1/2	14245		14488	
4	14247		14489	
5	14248		14490	
6	14250		14491	
8	14252		-	
10	14253		-	

SERVICE: FOR SUPPORT AND STEADYING OF ST PIPE RISERS - EITHER INSULATED OR BARE, CAST IRON PIPE OR CONDUIT.

## CLEVIS HANGERS



SIZE	PIPE SIZE		TUBING SIZE	
	BLACK		COPPER CLAD	
	FIG. NO.	PRICE	FIG. NO.	PRICE
1/2	14204		14434	
3/4	14205		14435	
1	14206		14436	
1 1/4	14208		14437	
1 1/2	14210		14438	
2	14211		14439	
2 1/2	14213		14440	
3	14215		14442	
3 1/2	14216		14444	
4	14219		14472	
5	14220		14474	
6	14223		14478	
8	14225		-	
10	14227		-	
12	47162		-	

SERVICE: RECOMMENDED FOR THE SUSPENSION OF NON-INSULATED, STATIONARY PIPE LINES.

## PEX "J" CLAMPS




J CLAMPS	
SIZE	FIG NO
3/8"	172836
1/2"	172837
3/4"	172838
1"	172840

## SPLIT RING HANGERS

SIZE	PIPE SIZE				TUBING SIZE	
	STEEL		GALVANIZED		COPPER CLAD	
	FIG. NO.	PRICE	FIG. NO.	PRICE	FIG. NO.	PRICE
3/8	39288		24573			
1/2	39289		14256		14504	
3/4	39290		14258		14505	
1	39291		14260		14506	
1 1/4	39292		14262		14507	
1 1/2	39293		14263		14508	
2	39294		14265		14509	
2 1/2	44485		14268		22004	
3	44486		14270		19987	
4	44487		14272		25698	




## C-CLAMP



SIZE	BLACK		GALVANIZED		MALLEABLE IRON	
	HGNO.	PRICE	HGNO.	PRICE	HGNO.	PRICE
3/8	14297		53608		14304	
1/2	14299				14306	
5/8	14300					
3/4	14302					

## JUNIOR BEAM CLAMP



SIZE	FIG NO	PRICE
3/8	14307	
1/2	14309	


### GALVANIZED

SIZE	FIG NO	PRICE
3/8	49126	
1/2	56919	

**SERVICE:** Recommended for use under roof installations with bar joist type construction, or for attachment to the top or bottom flange of structural shapes where the vertical hanger rod is required to be offset from the edge of the flange and where the thickness of joist or flange does not exceed 3/4 inch.

## U-BOLT


Furnished with hex nuts



PIPE SIZE	FIG NO	PRICE
1/2	14340	
3/4	14342	
1	14344	
1 1/4	14346	
1 1/2	14347	
2	14348	
2 1/2	14350	
3	14351	
3 1/2	14353	
4	14355	
5	14356	
6	14358	

U-BOLTS PROVIDED IN LIGHT WEIGHT PATTERN THROUGH 4 INCH, AND STANDARD PATTERN 5 INCHES AND ABOVE, UNLESS OTHERWISE SPECIFIED.

## ADJUSTABLE SWIVEL RING



SIZE	PIPE SIZE		COPPER TUBING SIZE	
	FIG. NO.	PRICE	FIG. NO.	PRICE
1/2	14274		14492	
3/4	14277		14493	
1	14278		14494	
1 1/4	14281		14495	
1 1/2	14282		14496	
2	14284		14497	
2 1/2	14286		14498	
3	14288		14499	
4	14289		14501	

**SERVICE:** RECOMMENDED FOR SUSPENSION OF NON-INSULATED, STATIONARY PIPE LINE.



# DUFF CO.

## HANGERS AND FASTENERS


ALL THREAD ROD SIX FEET LONG



ROD COUPLING



NUTS




WASHERS




SIZE	BLACK	GALVANIZED	STAINLESS 304	FIG NO	PLATED	STAINLESS 304	PLATED	STAINLESS 304
	FIG NO	FIG NO	FIG NO		FIG NO	FIG NO	FIG NO	FIG NO
1/4"	14510	49180	73061	14319	14374	50955	50643	50956
5/16"	14511	—	77181	14321	14379	—	50641	—
3/8"	14512	48889	67139	14323	50595	235257	50642	235259
1/2"	14513	50539	257142	14325	14542	—	50640	72479
5/8"	14515	50647	—	14326	14546	76321	55291	71208
3/4"	14517	—	—	14328	14547	236230	55486	236229
7/8"	14518	—	—	14331	14549	53603	14370	—
1"	14521	—	—	14333	44350	—	14372	—
3/8" x 1/4"	—	—	—	14336	—	—	—	—
1/2" x 3/8"	—	—	—	14338	—	—	—	—

### STEEL ANGLE BEAM BRACKET



SIZE	FIG NO	PRICE
3/8	14312	
1/2	14314	


### LAG SCREW/HANGER BOLT



SIZE	FIG NO	PRICE
3/8 X 3 1/2	14315	
1/2 X 3 1/2	14317	

**PLEASE GIVE FIGURE NUMBERS WHEN ORDERING**

### HANGER PLATE



SIZE	BLACK FIG NO	GALVANIZED FIG NO	COPPER FIG NO	STAINLESS FIG NO
3/8"	14431	40114	14433	106354
1/2"	14432	40115	14434	—


est. 1947

# DUFF CO.

When you need it now... or don't know how



**STRUT AND CHANNEL**




**1 5/8 X 10 FOOT CHANNEL WITH ELONGATED HOLES**

\*Channel provided in green finish unless otherwise specified - available in plain or galvanized finish, in different sizes with different hole configurations.

DESCRIPTION	FIG NO
GREEN	38558
GALVANIZED	116795
STAINLESS	257144

**STRUT CLAMPS**



SIZE	STEEL PIPE TUBING SIZE	
	FIG. NO.	FIG. NO
1/2	41122	41131
3/4	41123	41132
1	41124	41133
1 1/4	41125	41134
1 1/2	41126	41135
2	41127	41136
2 1/2	41128	-
3	41129	44860
4	41130	-

**Strut Clamp, Cushioned, Electro Galvanized Gold**

FIG. No.	SIZE
204340	1/2" (3/8" CTS)
140642	5/8" (1/2" CTS)
140643	7/8" (3/4" CTS)
140644	1-1/8" (1" CTS)
140645	1-3/8" (1-1/4" CTS)
140646	1-5/8" (1-1/2" CTS)
141008	2-1/8" (2" CTS)




X-RAY EQUIPMENT SUPPORT




MERCURY VAPOR LIGHT SUPPORT




GARMENT RACK



MAPLE BUS BAR SUPPORT



CONDUIT ON TRAPEZE



WALL MOUNTED SHELVING




FLUORESCENT SUPPORT



GENERAL STORAGE RACKS




POWER TOOL SUPPORT



CABLE TRAY S SUPPORTS



RAILINGS, RACKS, AND MEZZANINE



EXHIBITION OR DISPLAY STANDS




REEL RACKS


**DUFF POWER STRUT LINE**

**HAS MORE THAN 8,000 QUALITY PRODUCTS**

The Power strut metal framing system can be regarded as a basic building material. Our metal framing system is an erector set concept, using channel and fittings to solve many applications. You can conceal metal framing in the basic structure of a building or run it along the surface of walls, ceilings and floors. An endless array of fittings provide freedom to work at virtually any angle along any surface to shape a support system that fits your exact needs. For further information, please call Duff at 610-275-4453, or fax us at 610-279-6299.



LABORATORY FRAMING




EQUIPMENT RAILINGS, RACKS

# DUFF CO.

# HANGERS AND FASTENERS

## PLASTIC "J-HOOKS"


Heavy duty construction for hanging tubing or pipe



SIZE	SINGLE		DOUBLE	
	FIG. NO.	PRICE	FIG. NO.	PRICE
1/2	15974		-	
1/2X3/4	-		-	
3/4	15976		-	
1	15977		-	
1 1/4	-		-	
2	15981		-	
3	15983		-	
4	15985		-	

## PLASTIC COATED HANGER

Ideal for plastic pipe



SIZE	FIG NO	PRICE
1 1/2	36454	
2	36455	
3	36456	
4	36457	


## VAN HANGERS



SIZE	FIG NO	PRICE
1/2	14532	
3/4	14533	
1	14534	

**DUFF TIP:**  When you order any type of hanger, always remember to order insulation shields!

**DUFF DELIVERS**





INDUSTRIAL ANCHORS  
SOLD ONLY IN BOX QUANTITIES

ROD HANGER WEDGE ANCHOR



SIZE	DRILL DIA	NO PER BOX	FIG NO	PRICE
3/8	1/2	25	44351	
1/2	5/8	25	44352	
5/8	7/8	10	44353	

**Rawl**

**IN STOCK AND  
READY TO  
SHIP!**

**DOUBLE EXPANSION SHIELD**



HEAVY DUTY BOLT ANCHOR

SIZE	NO. PER BOX	FIG. NO.	PRICE
1/4	50	27842	
5/16	50	27843	
3/8	50	27844	
1/2	25	27845	
5/8	25	27846	
3/4	10	27847	

A NON-CAULKING BOLT ANCHOR WHICH IS EASY TO INSTALL. TIGHTENING THE BOLT SETS THE ANCHOR. FOR USE IN CONCRETE, BRICK OR STONE WITH A MACHINE SCREW OR BOLT.

LOCK/BOLT ROD HANGER




FIG. NO.	SIZE	DRILL DIA.	MIN. DEPTH	BOX QTY	PRICE
62694	3/8"x1	3/8"	1 5/8"	50	
63847	7/8"	1/2"	2 1/4"	25	

STEEL DROP-IN (Internal Plug)



USE IN: Concrete, stone  
USE WITH: Machine screw, bolt, or threaded rod  
SIZE RANGE: 1/4" through 3/4"

FIG. NO.	SIZE	DRILL DIA.	MIN. DEPTH	THREAD DEPTH	BOX QTY	PRICE
50508	3/8"	1/2"	1 7/8"	5/8"	50	
50509	1/2"	5/8"	2 3/8"	13/16"	50	

SETTING TOOLS




FIG. NO.	SIZE	PRICE
52366	3/8"	
63848	1/2"	



By using LOCK/BOLT ROD HANGERS and STEEL DROP-INS, you use smaller, less expensive drill bits than old fashioned lag shields and caulk-ins!

### TOGGLE BOLT

#### SPRING WING TYPE



SIZE	NO PER BOX	FIG NO	PRICE
3/16 X 4	50	13682	
1/4 X 4	50	13683	
5/16 X 4	25	13685	
3/8 X 3	25	27735	

**DUFFTIP:**  This item is excellent for use with hollow walls.



### VINYL ANCHOR KITS

“Keep-Safe” collar prevents anchor from falling into over-size holes or hollow walls

\*Raised ribs prevent turning in holes

\*Flexible vinyl makes it an excellent anchor in concrete and block walls.

\*Complete with anchors, screws & bit!

ANCHOR SIZE	SCREW SIZE	NO PER BOX	DRILL INCL	FIG NO	PRICE
1/4 x 1	#10 x 1	100	YES	37665	
5/16 x 1	#14 x 1	50	YES	37664	

**DUFFNOTE:** 

SEE TOOL SECTION  
FOR A SELECTION OF  
MILWAUKEE HAMMER DRILLS!

PLEASE CALL

US

FOR YOUR

NET PRICE!

610-275-4453

PERFORATED AND SLOTTED  
STEEL ANGLE


For permanent and temporary structural installations in your plant, warehouse or shop. Standard length is 10 feet.

FIG NO	PRICE
15349	

Stock size is 2 1/4'x1 1/2 x 10', double punched sides with single punched front. This angle allows double bolting for rigid, light weight construction. A pair of 3 foot horizontal beam will support an evenly distributed load of 550 lbs.

We've got an

ANGLE for you



OTHER HANGERS AVAILABLE FROM FACTORY STOCK



CONDUIT CLAMP  
3/8 TO 2"PIPE



CARBON STEEL  
TURNBUCKLE  
1 1/4 TO 5"ROD



SPLIT RING



DOUBLE BOLT PIPE  
CLAMP  
3/4 TO 36"



OFFSET PIPE CLAMP



ADJUSTABLE  
CLEVIS




EXTENDED CLAMP




ADJUSTABLE RING  
1/2 TO 4"PIPE




ALLOY PIPE CLAMP



HEAVY DUTY ALLOY  
PIPE CLAMP




SOCKET CLAMP  
4 TO 24"PIPE




RIGHT ANGLE PIPE OR  
CONDUIT CLAMP 1/2  
TO 3"PIPE




ADJUSTABLE BEAM  
CLAMP 3/8 TO 5/8"  
ROD



MALLEABLE BEAM  
CLAMP



BRACE FITTING  
1 & 1 1/4"IPS




PIPE OR CONDUIT  
HANGER 1/2 TO 6"  
HANGER




FORGED STEEL  
TURNBUCKLE 3/8  
TO 2 1/2"ROD




SOCKET  
1/4 TO 7/8"ROD




UNIVERSAL TRAPEZE  
ASSEMBLY




ADJUSTABLE STEEL  
YOLK PIPE ROLL 2 1/2  
TO 20"PIPE




INSULATION  
PROTECTION SHIELD




PIPE ALIGNMENT  
GUIDE  
3 TO 24"PIPE



PIPE COVERING PRO-  
TECTION  
SADDLES



HEAVY WELDED  
STEEL BRACKETS  
MAX LOAD:3000LBS



STRUCTURAL WELD-  
ING LUG  
1/2 TO 3 3/4"ROD

OTHER HANGERS AVAILABLE FROM FACTORY STOCK



PIPE HANGER FLANGE  
FOR 3/8 TO 2 1/4" ROD



CAST IRON CEILING  
PLATE  
1/2 TO 8" PIPE



ROD WITH EYE END  
2 3/4 TO 5"



WELDLESS EYE NUT  
3/8 TO 4" ROD




FORGED STEEL  
CLEVIS  
3/8 TO 4" ROD




TURNBUCKLE ADJUSTER  
1/4 TO 3/4 ROD




EXTENSION PIECE  
3/8 TO 78" ROD




EYE RODS: WELDED  
3/8 TO 2 1/2"




PIPE SADDLE SUPPORT  
4 TO 12" PIPE



ROLLER CHAR  
2 TO 20" PIPE



PIPE ROLL STAND COM-  
PLETE  
2 RO 42"



SPRING CUSHION FOR  
ROLLS



CALL DUFF FOR YOUR  
SPECIAL ORDERS OF  
NUTS, BOLTS AND  
FASTENERS IN ALL  
MATERIAL INCLUDING  
STAINLESS!



**CUSTOM FABRICATION AND MACHINING OF ALL THERMOPLASTIC**

**MATERIALS:**

PVC

POLYETHYLENE

CPVC

PVDF




POLYPROPYLENE

TEFLON



**IF YOU CAN  
DRAW IT, OR  
DESCRIBE IT,**

**WE CAN MAKE IT!!!**



**OUR GOAL...**

**TO ADDRESS THE TOTAL NEEDS OF OUR CUSTOMER!**

We manufacture complete systems to your specifications! Plastinetics is truly committed to satisfying all your standard and non-standard needs with the highest quality product and courteous, efficient service!

Specialties include:

- \*Prefabricated Pipe Header Systems
- \*Launders \*Trough
- \*Sinks \*Table Tops \*Underdrains \*Pans
- \*Transitions and much more!

**WE ARE LIMITED ONLY  
BY YOUR IMAGINATION**

**CUSTOM FABRICATION**

***DUFF OFFERS CUSTOM FABRICATION SERVICES***

From stainless steel to extra heavy schedule 80 steel pipe, and whether it's a large receiver or small strainer basket, our custom fabrication shop can design and manufacture the equipment that you need to get the job done.





# How to Order

Submit your order online

or

email [info@duffco.com](mailto:info@duffco.com)

**Be sure to include**

**product numbers**

**descriptions**

**quantities**

**Don't forget to include your name!**

**DUFF SUPPLY COMPANY**

WATER TREATMENT EQUIPMENT - PUMPS - PLUMBING - HEATING - INDUSTRIAL SUPPLIES - PUMPS  
 STEAM SPECIALTIES - PIPE - VALVES - FITTINGS - SOFTENERS - FILTERS

201 EAST LAFAYETTE STREET, P.O. BOX 618, NORRISTOWN, PA 19401

PHONE: 610-275-4453 FAX: 610-279-6299



SOLD TO:

SHIP TO:


YOUR NAME: \_\_\_\_\_ PURCHASE ORDER NO. \_\_\_\_\_

TODAY'S DATE: \_\_\_\_\_ REQUIRED DATE: \_\_\_\_\_

QTY	FIG. NO.	DESCRIPTION	PRICE/EA	TOTAL



Products for Quality Water

TERMS: NET - 10<sup>TH</sup> OF MONTH FOLLOWING PURCHASE  
 WE WILL PREPAY AND ADD FREIGHT FOR ALL ORDERS SHIPPED UPS OR COMMON CARRIER

*All accounts are to be paid in full to Duff Supply Company monthly by the tenth (10<sup>th</sup>) day of the month following invoice date, a 1% service charge and a 1% interest charge will be made on any balance open at the end of the month following invoice, and in the event that legal action or lien be undertaken, or the service of a collection agency are used to collect this account, the customer shall pay all expenses incurred by Duff Supply Company, such as, but not limited to, costs and collection, legal and lien fees.*

QTY	FIG. NO.	DESCRIPTION	PRICE/EA	TOTAL

*Thank You  
for your business!*



Contact name \_\_\_\_\_ Contact Date \_\_\_\_\_

	<h2 style="margin: 0;">DUFF COMPANY</h2> <p style="margin: 0;">201 East Lafayette Street Norristown, PA 19401</p> <p style="margin: 0;">Phone: <b>610-275-4453</b> Fax: <b>610-279-6761</b></p>	
---	---	---

Legal Name \_\_\_\_\_

Name in which business is conducted \_\_\_\_\_

Billing Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Purchasing Phone \_\_\_\_\_ A/P Phone \_\_\_\_\_ Fax \_\_\_\_\_



Principal's Name \_\_\_\_\_

Principal's Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Phone (Office) \_\_\_\_\_ (Cell) \_\_\_\_\_ E-mail address \_\_\_\_\_

Website address (If applicable) \_\_\_\_\_

Primary Contact \_\_\_\_\_ Title \_\_\_\_\_



**SHIPPING ADDRESS - IF DIFFERENT**

Shipping Address \_\_\_\_\_ Phone \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Tax Exempt Number \_\_\_\_\_ Provide a copy of Certificate. We CAN NOT set up a Tax Exempt Account without certification.



**TYPE OF BUSINESS**

Plumbing \_\_\_\_\_ Pumps \_\_\_\_\_ Heating \_\_\_\_\_ Municipality \_\_\_\_\_ Hotel or Apts. \_\_\_\_\_ Well Drilling \_\_\_\_\_  
 Hospital \_\_\_\_\_ Factory (OEM) \_\_\_\_\_ Factory (Mtn) \_\_\_\_\_ Office Building \_\_\_\_\_ Shopping Center \_\_\_\_\_  
 Golf Course \_\_\_\_\_ Water Treatment \_\_\_\_\_ Environmental \_\_\_\_\_ Other (Please name) \_\_\_\_\_

Have you been contacted by one of our salesman? \_\_\_\_\_ Name \_\_\_\_\_

If YES, please explain \_\_\_\_\_

Name of person authorized to pick up \_\_\_\_\_

D&B Rating \_\_\_\_\_ Check one: Corporation \_\_\_\_\_ Partnership \_\_\_\_\_ Individual Proprietor \_\_\_\_\_

If division of another company, name parent company and relationship \_\_\_\_\_

# DUFF COMPANY

201 East Lafayette Street, Norristown, PA 19401

## TRADE REFERENCES

Name \_\_\_\_\_ Type of business \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Phone \_\_\_\_\_ Fax \_\_\_\_\_



Name \_\_\_\_\_ Type of business \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Phone \_\_\_\_\_ Fax \_\_\_\_\_



Name \_\_\_\_\_ Type of business \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Phone \_\_\_\_\_ Fax \_\_\_\_\_



Bank reference \_\_\_\_\_

Branch Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Branch officer who handles account \_\_\_\_\_

In consideration of your opening the above account and/or extended credit, the undersigned hereby agrees that all information supplied in this application is correct, that all accounts are to be paid in full to Duff Company monthly by the tenth day of the month following the invoice date, that a 1% service charge and a 1% interest charge will be made on any balance open at the end of the month following invoice date, and that in the event that legal action or lien be taken, or the service of a collection agency are used to collect this account, the undersigned shall pay all expenses incurred by the Duff company, such as, but not limited to, collection fees, costs and legal fees.

Applicant (Name of Account) \_\_\_\_\_

By \_\_\_\_\_ Title \_\_\_\_\_

The undersigned \_\_\_\_\_ and \_\_\_\_\_  
for good and valuable consideration, hereby jointly, severally and personally unconditionally guarantee, warrant and promise the full and prompt (within terms) payments of all bills and other obligations (as set forth above) of the applicate in connection with any credit extended to the applicant by Duff Company.\*

Principal \_\_\_\_\_ Witness \_\_\_\_\_ Principal's Spouse \_\_\_\_\_ Witness \_\_\_\_\_

Principal \_\_\_\_\_ Witness \_\_\_\_\_ Principal's Spouse \_\_\_\_\_ Witness \_\_\_\_\_

We routinely fax invoices to our customers. Please provide a fax number where we can send invoices \_\_\_\_\_

**PLEASE FAX FORM TO 610-275-6761**

\*As appropriate, we may also require the guarantee of a principal and, in some cases, the principal's spouse.

For Duff Company Use Only		
Credit Limit: _____	Contact: _____	Certificate Recd: _____
Tax Jurisdiction: _____	General Manager: _____	Type: _____
Salesman: _____	Class: _____	Controller: _____
	Date Approved: _____	